



PRODUCT CATALOGUE





ASAS LED LIGHTS has been leading the way in lighting since 2020 and firmly established reputation as a leading supplier of complete lighting solutions in LED lighting development and manufacturing in India.

A key factor in our success as an LED Lighting Leader is our focus on relentless innovation and the exploitation of new ideas to improve our products.

The company is able to produce better, more market relevant products and services, while also increasing operational efficiency

By enhancing efficiency, saving energy, and enabling users to work, innovate, and function better, we deliver sustainable lighting solutions.

Our Products:

LED FLOOD LIGHTS

LED STREET LIGHTS

LED PANEL LIGHTS

LED STRIP LIGHTS

LED BULBS

LED DOWN LIGHTS

LED OUTDOOR LIGHTS

DECORATIVE LIGHTS

ASAS LED LIGHTS WHOLESALE & RETAIL

CONTENTS

LED Floodlights Page 3

LED Streetlights Page 4

LED Panel Lights Page 5

LED Down Lights Page 6

LED Bulbs Page 7

LED Outdoor Lights Page 8

LED Strip Lights Page 9

LED Decorative Lights Page 10

LED Office lights Page 11

LED Garden Lights Page 11

LED Indore wall lamp Page 11

LED Gate lamp Page 11





LED FLOOD LIGHT (COB)

 50W IP65	 100W IP65	 150W IP65
 200W IP65	 250W IP65	 300W IP65
 400W IP65	 500W IP65	 600W IP65

Scientifically designed heat dissipator with improved cooling, HPF driver that improves luminary reliability and stability. This IP65 bodice is treated with iodization, corrosion-resistant artistic appearances for outdoor lighting. Lens better beam for wide field spread.

Specifications:

Power	50W	100W	150W
	200W	250W	300W
	400W	500W	600W
Lumen	: 90-100LM/w		
Voltage	: AC85-265V		
LED	: High power LED		
Color	: Warm White / Cold White		
Color of Housing	: Black Housing		
Working Freq	: 50 ~ 60HZ		
Working Temp	: -40° ~ 60°		
LED Life	: > 50000 hours.		

LED FLOOD LIGHT (SMD)

 20W IP65	 50W IP65	 100W IP65	 150W IP65	 200W IP65
---	---	---	--	--



LED STREET LIGHT

LED STREET LIGHT (COB)

MODEL NO	POWER	LUMENS	VOLT	LIFETIME
ST 100	100 W	80 LM/W	100-265 V	25000H
ST 150	150 W	100 LM/W	100-265 V	25000H
ST 200	200 W	100 LM/W	100-265 V	25000H
ST 250	250 W	100 LM/W	100-265 V	25000H
ST 300	300 W	100 LM/W	100-265 V	25000H



30W



50W



100W



150W



200W

LED STREET LIGHT (SOLAR)



30W



50W



100W



150W



200W



LED PANEL LIGHT

ASAS brings you this white led surface panel light for indoor purposes. The panel light is made from die cast aluminium with powder coated white finish. Power consumption up to 80% and reduce the electricity bill. With aesthetic designs, these lamps give you superior lighting and also complements the decor of your home. The easy installation process for these ceiling lights allows you to enjoy fabulous lighting experience in any room of the house. We have panel lights ranging from 3 watts to 20 watts. If you need a brighter light, then go for a higher wattage. If you want a soft glow, then the 3-watt panel light will be ideal for you. You get three colour options while the colour temperature remains the same for all the sizes. When choosing LED lights for your home, keep the wattage and the dimensions of your ceiling in mind.

POWER	VOLT	SIZE	LUMINOUS	PF	CCT	LIFETIME	EFFICIENCY	MATERIAL
3W	110-265 V	7 CM	225 LM	0.5	6500 K	20000 H	75 LM/W	PLASTIC + ALUMINIUM
3W	110-265V	7 CM	225 LM	0.5	3000 K	20000 H	75 LM/W	PLASTIC + ALUMINIUM
12W	110-265V	14 CM	1020 LM	0.6	6500 K	20000 H	85 LM/W	PLASTIC + ALUMINIUM
12W	110-265V	14 CM	1020 LM	0.6	3000 K	20000 H	85 LM/W	PLASTIC + ALUMINIUM
20W	110-265V	20 CM	1700 LM	0.6	6500 K	20000 H	85 LM/W	PLASTIC + ALUMINIUM
20W	110-265V	20 CM	1700 LM	0.6	3000 K	20000 H	85 LM/W	PLASTIC + ALUMINIUM



3W | 6500K/3000K



12W | 6500K/3000K



20W | 6500K/3000K

LED DOWN LIGHT

Innovatively designed, the LED Downlighters portray highly efficient and modern LED lights which combine perfectly well with the interiors of residential properties. Adding aesthetic value to the living space, the LED downlighters beautifully highlight the desired areas while ensuring lower maintenance costs.



7 W
6500K/4000K/3000K



10 W
6500K/4000K/3000K



15 W
6500K/4000K/3000K



30 W
6500K/3000K

POWER	VOLT	SIZE	LUMINOUS	PF	CCT	LIFETIME	EFFICIENCY	MATERIAL
7 W	110-260 V	7 CM	595 LM	0.6	6500 K	20000 H	85 LM/W	PLASTIC + ALUMINIUM
7 W	110-260 V	7 CM	595 LM	0.6	3000 K	20000 H	85 LM/W	PLASTIC + ALUMINIUM
7 W	110-260 V	7 CM	595 LM	0.6	4000 K	20000 H	85 LM/W	PLASTIC + ALUMINIUM
10 W	110-265 V	10 CM	900 LM	0.6	6500 K	20000 H	90 LM/W	PLASTIC + ALUMINIUM
10 W	110-265 V	10 CM	900 LM	0.6	3000 K	20000 H	90 LM/W	PLASTIC + ALUMINIUM
10 W	110-260 V	10 CM	900 LM	0.6	4000 K	20000 H	90 LM/W	PLASTIC + ALUMINIUM
15 W	110-260 V	14 CM	1350 LM	0.6	6500 K	20000 H	90 LM/W	PLASTIC + ALUMINIUM
15 W	110-260 V	14 CM	1350 LM	0.6	3000 K	20000 H	90 LM/W	PLASTIC + ALUMINIUM
15 W	110-260 V	14 CM	1350 LM	0.6	4000 K	20000 H	90 LM/W	PLASTIC + ALUMINIUM
30 W	110-260 V	20 CM	2700 LM	0.6	6500 K	20000 H	90 LM/W	PLASTIC + ALUMINIUM
30 W	110-260 V	20 CM	2700 LM	0.6	3000 K	20000 H	90 LM/W	PLASTIC + ALUMINIUM

LED BULBS



LED T - BULBS

LED light bulbs can help you transform any living space with beautiful, warm white light. With LED bulbs, you can save up to 90% energy. The Himax LED is the perfect bulb for your basic lighting needs. It provides the beautiful light and dependable performance you expect from LED at a great price.

Features:

- Excellent heat-dissipation, extend the light source's lifespan up to 30,000 hours
- Power supply with constant current, over-current and over-voltage protections
- No UV radiation, no mercury, lead or other harmful substance.
- Energy-saving is equivalent to the traditional lighting more than 2 times.



POWER	VOLT	RA	LUMINOUS	PF	CCT	LIFETIME	EFFICIENCY	MATERIAL
20W	110-265 V	> 80	1800 LM	0.6	7000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC
20W	110-265 V	> 80	1800 LM	0.6	3000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC
30W	110-265 V	> 80	2700 LM	0.6	7000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC
30W	110-265 V	> 80	2700 LM	0.6	3000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC
50W	110-265 V	> 80	4500 LM	0.6	7000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC
50W	110-265 V	> 80	4500 LM	0.6	3000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC



20 W | 7000 K/3000 K



30 W | 7000 K/3000 K



50 W | 7000 K/3000 K

LED A 60 - BULBS

A-line LED bulbs include 12 watt bulbs which are intended to replace traditional the 60 watt variety, though they are available in ratings equivalent to 40 to 100 watts from an incandescent bulb. These are carefully calibrated to ensure the best lighting effect.

Features:

- Wide available input voltage: AC85-265V.
- Pure aluminum housing for good heat dissipation and safe.
- Energy saving, compared to traditional fluorescent lamp up to 80%.

POWER	VOLT	RA	LUMINOUS	PF	CCT	LIFETIME	EFFICIENCY	MATERIAL
7W	110-265 V	> 80	630 LM	0.6	3000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC
9W	110-265 V	> 80	810 LM	0.6	7000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC
9W	110-265 V	> 80	810 LM	0.6	3000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC
12W	110-265 V	> 80	1080 LM	0.6	7000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC
12W	110-265 V	> 80	1080 LM	0.6	3000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC
16W	110-265 V	> 80	1440 LM	0.6	7000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC
16W	110-265 V	> 80	1440 LM	0.6	3000 K	20000 H	90 LM/W	ALUMINIUM + PBT + PC



7 W | 3000 K



9 W | 7000 K/3000 K



12 W | 7000 K/3000 K




16 W | 7000 K/3000 K

OUTDOOR LIGHT

Introducing the wide range of outdoor application LED products from ASAS LED. This range is yet another example of ASAS LED endeavour to innovate and provide world class lighting solution, energy efficient products and robust design. We are providing a high quality material and Low voltage product which you can use in many places and decorate everything that you want.

POWER	VOLT	LUMINOUS	PF	CCT
18W	100-240 V	1620 LM	0.7	8000 K
18W	100-240 V	1620 LM	0.7	3000 K
24W	100-240 V	2160 LM	0.7	8000 K
24W	100-240 V	2160 LM	0.7	3000 K





LED STRIP LIGHTS


ASAS has come up with a collection of LED strip lights which can be used in various applications. Whether it's about TV backlighting, cabinet lighting, cove lighting or any other decorative lighting, LED strip lights can be creatively used to impart a distinctive lighting effect to any place.

- Features:**
- Super Long & Safe to Use :** This 32.8ft RGB LED light strip includes 600 bright LEDs. And the working voltage is 12V (Power Adaptor is included), extremely Low Heat.
 - Strong Wall Studs :** We use professional and stronger Wall Studs. Increase the upgrade accessory-fixing clip. When used together, you don't worry about the strip falling problem.
 - Widely Use :** The strip has excellent heat dissipation, making it much more durable. Suitable for indoor lighting and decor. Such as living room, kitchen, dining room, bedroom, upstairs, party decoration, stairway, wedding.


PRODUCT PARAMETERS	
Voltage	220 V
Line Board Width	10mm / 12mm
Lamp Bead Model	2838 / 5050
Number Of Lamp Beads	180 beads/m 156 beads/m 120 beads/m 96 beads/m
Weight	0.14 Kg/m
Color Temp	White/Warm



50 Meter - Warm






50 Meter - White



5 Meter - RGB

DECORATIVE LIGHTS

A perfect luminary can help light up every room. From wall lamps to ceiling pendants provide the perfect light for your home. Decorative light bulbs help in enhancing your home and adding a perfect light to it. These lighting fixtures enhance the look of your home and add unique lighting mood. To add a perfect mood to your specific room, it is very important to opt perfect light fixtures that can create a warm and cozy ambiance of the house. LED bulbs to come in a variety of shape, style, and fitting, you just need to choose a light that perfectly fits with the atmosphere of your living space





OFFICE LIGHTS

POWER	20 W	30W	40W	50W	80W	10W
SIZE	60cm	90cm	120cm			
COLOUR	6500k	4000k				



GARDEN LIGHTS

POWER	5W	7W	15W
-------	----	----	-----




INDORE WALL LAMP



GATE LAMP LED

WATER PROOF	IP 65
-------------	-------





ASAS LED LIGHTS

WHOLESALE & RETAIL

ERNAKULAM
+91 7909 1155 11

MALAPPURAM
+91 8921 7273 74

PERINTHALMANNA
+91 7909 1105 11

Email: ind-sales@asasled.com